Laminart High Pressure Decorative Laminate by Wilsonart

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 274691879936

CLASSIFICATION: 06 00 00 Wood, Plastics, and Composites

PRODUCT DESCRIPTION: High Pressure Decorative Laminates (HPL) are made from paper, thermoset resins, pigments and various fillers which are consolidated under high pressure and heat into a sheet. HPL is suitable for horizontal and vertical applications including but not limited to countertops, table tops, furniture, case goods, wall panels, interior architectural doors and partitions.

Section 1: Summary

CONTENT INVENTORY

| Inventory | Reporting | Format |
|-----------|-----------|--------|
|-----------|-----------|--------|

- Nested Materials Method
 Basic Method
- Threshold Disclosed Per
- C Material

• Product

- Threshold Level © 100 ppm © 1,000 ppm © Per GHS SDS © Other
- **Residuals/Impurities Evaluation**
- Completed
- C Partially Completed
- C Not Completed
- Explanation(s) provided : • Yes O No

Basic Method / Product Threshold

| For all contents above the threshold, the r Characterized | manufacturer has: |
|--|-------------------|
| Provided weight and role. Screened | ⊙ Yes ⊜ No |
| Provided screening results using HPDC-a methods. | pproved |
| Identified | • Yes O No |
| Provided name and CAS RN or other iden | ntifier. |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

LAMINART HIGH PRESSURE DECORATIVE LAMINATE [WOOD/CELLULOSE FIBER (KRAFT/DECORATIVE/OVERLAY) NoGS MELAMINE RESIN LT-UNK PHENOLIC RESIN LT-P1 | RES GRIT BM-2 | MAM COLORANT NoGS RELEASE AGENT NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) \dots LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

*Greenguard certificates referenced below, residual emissions < 7 ppb **Full ingredients disclosure withheld to protect proprietary formulation

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified Surfacing Food Service Equipment: NSF / ANSI 35 Recycled content: SCS Recycled Content Certification - Products

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4 Option 2. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

© Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2024-05-08 PUBLISHED DATE: 2024-05-08 EXPIRY DATE: 2027-05-08 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

LAMINART HIGH PRESSURE DECORATIVE LAMINATE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: UL-E Greenguard testing is re-certified annually. For current certificate see www.laminart.com

OTHER PRODUCT NOTES: High Pressure Decorative Laminates (HPL) are made from paper, thermoset resins, pigments and various fillers which are consolidated under high pressure and heat into a sheet. The monomers and polymers react under these conditions to polymerize into a thermoset hard resin system. The residuals are a very small fraction of the unreacted monomers and are less than 7.3 parts per billion according to the UL 2818 Greenguard test protocol.

WOOD/CELLULOSE FIBER (KRAFT/DECORATIVE/OVERLAY)

| | | | Exempted fro safety | m REACH Annex IV listing due to intrinsic | |
|------------------------|--------------------------------------|--|------------------------|---|--|
| EXEMPT | European Union / European Cor EC) | European Union / European Commission (EU | | U EU - REACH Exemptions | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATIO | N | |
| None found | | | No | warnings found on HPD Priority Hazard Lists | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| %: 40.0000 - 80.0000 | GreenScreen: NoGS | RC: PostC | NANO: No | SUBSTANCE ROLE: Structure component | |
| HAZARD DATA SOURCE: Pr | naros Chemical and Materials Library | | HAZAF | RD SCREENING DATE: 2024-05-08 13:41:19 | |

SUBSTANCE NOTES: Post-consumer recycled content varies by product type. For detailed information see www.laminart.com

| MELAMINE RESIN | | | | ID: 9003-08-1 |
|---------------------|--------------------------------------|--------------|----------------------------------|---|
| HAZARD DATA SOURCE: | Pharos Chemical and Materials Librar | у | HAZARE | D SCREENING DATE: 2024-05-08 13:41:19 |
| %: 2.3000 - 35.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Polymer species |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No v | varnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | ٨ |
| RESTRICTED LIST | International Living Future Insti | itute (ILFI) | | Challenge 4.0 - Red List of Materials & fective April 1, 2024 |
| | | | Red List substa V4.0 projects | ances to avoid in Living Building Challenge |

ID: 65996-61-4

SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.

| PHENOLIC RESIN | | | | ID: 9003-35- 4 |
|-----------------------|--------------------------------------|-------------|-------------------------------------|--|
| HAZARD DATA SOURCE: 1 | Pharos Chemical and Materials Librar | у | HAZARD | SCREENING DATE: 2024-05-08 13:41:19 |
| %: 0.0000 - 34.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Polymer species |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| RES | AOEC - Asthmagens | | Asthmagen (Rs) - sensitizer-induced | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | 1 |
| RESTRICTED LIST | International Living Future Insti | tute (ILFI) | 0 0 | Challenge 4.0 - Red List of Materials & fective April 1, 2024 |
| | | | Red List substa V4.0 projects | ances to avoid in Living Building Challenge |

SUBSTANCE NOTES: Exposure would occur only during paper treating operations in manufacturing.

GRIT

ID: 1344-28-1

| HAZARD DATA SOURCE: I | Pharos Chemical and Materials Libr | ary | HAZAF | RD SCREENING DATE: 2024-05-08 13:41:19 |
|---------------------------|---|--------------------|----------------|---|
| %: 0.0000 - 0.7000 | GreenScreen: BM-2 | RC: None | NANO: No | SUBSTANCE ROLE: Abrasion resistance |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| MAM | GHS - Japan | | | ause respiratory irritation [Specific target - Single exposure - Category 3] |
| MAM | GHS - Japan | | repeated expo | es damage to organs through prolonged or osure [Specific target organs/systemic toxicity eated exposure - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATIO | DN |
| RESTRICTED LIST | Cradle to Cradle Products Inr (C2CPII) | novation Institute | | v4 Product Standard Restricted Substances ffective July 1, 2022 |
| | | | Biological and | Environmentally Released Materials |
| | Cradle to Cradle Products In | novation Institute | C2C Certified | v4 Product Standard Restricted Substances |
| RESTRICTED LIST | (C2CPII) | | List (RSL) - E | ffective July 1, 2022 |

COLORANT

ID: 8005-02-5

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | / | HAZARD SC | CREENING DATE: 2024-05-08 13:41:20 |
|-----------------------|--|----------|--------------|---|
| %: 0.0000 - 0.4700 | GreenScreen: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Dye |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No warn | ings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No I | listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: This | s colorant is used in some HPL products. | | | |

| | | | | | | ID: 38815-93-9 |
|--------|--------------|--------------|------|------|-------------|--|
| s Chen | nical and Ma | aterials Lib | rary | | HAZAF | RD SCREENING DATE: 2024-05-08 13:41:20 |
| GreenS | creen: NoG | S | RC: | None | NANO: No | SUBSTANCE ROLE: Anti-adhesive agent |
| LIST | NAME AND | SOURCE | | | WARNINGS | |
| | | | | | No | warnings found on HPD Priority Hazard Lists |
| LIST | NAME AND |) SOURCE | | | NOTIFICATIO | N |
| | | | | | | No listings found on Additional Hazard Lists |

 $\ensuremath{\mathsf{SUBSTANCE}}$ NOTES: This is used as a release agent in this product.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | UL/GreenGuard Gold | Certified |
|---|-------------------------------------|---------------------------|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Temple, TX and Fletcher, NC | ISSUE DATE: 2009- 10-19 00:00:00 | CERTIFIER OR LAB: UL E |
| CERTIFICATE URL: | EXPIRY DATE: | GreenGuard |
| https://www.laminart.com/media/Technical Resources/en lam/greenguard gold certification 2021.pd | f | |

CERTIFICATION AND COMPLIANCE NOTES: Certification is renewed on an annual basis. The UL-E Greenguard Gold certification program shows compliance in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017. Additional information can be found in Section 5. UL-E Greengold Certificates of Compliance: 4402-420 Lamin-Art High-Pressure Decorative Laminate (Excludes: Veneer-Art

SURFACING FOOD SERVICE EQUIPMENTNSF / ANSI 35CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Temple, TX and Fletcher, NCISSUE DATE: 2018-04-06 00:00:00
EXPIRY DATE:CERTIFICATE URL:
https://www.laminart.com/media/Technical_Resources/en_lam/nsf_certificate.pdISSUE DATE: 2018-04-06 00:00:00
EXPIRY DATE:

CERTIFICATION AND COMPLIANCE NOTES: Work contact surfaces acceptable as nonwork surfaces.

| RECYCLED CONTENT | SCS Recycled Content Certification - Products | | | | |
|--|---|--|--|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Temple, TX and Fletcher, NC CERTIFICATE URL: https://www.laminart.com/resources? category=Decorative+Laminate&document_type=Certifications&p=1 | ISSUE DATE: 2020-08-01 00:00:00 EXPIRY DATE: | CERTIFIER OR LAB: SCS Global Services | | | |
| CERTIFICATION AND COMPLIANCE NOTES: Recycle content is ty | ypically present in Arborite HPL products. The | e recycle content of the wood/cellulose | | | |

CERTIFICATION AND COMPLIANCE NOTES: Recycle content is typically present in Arborite HPL products. The recycle content of the wood/cellulose fiber layers may vary depending on the product type, thickness and other attributes. For certificates covering specific (HGS and VGP) products see: https://www.laminart.com/resources?category=Decorative+Laminate&document_type=Certifications&p=1 and https://www.laminart.com/resources? category=Decorative+Laminate&document_type=Certifications&p=1 and https://www.laminart.com/resources?

🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WILSONART BRAND ADHESIVES

MANUFACTURER (OR GENERIC): Wilsonart

HPD URL: https://www.wilsonart.com/adhesives-products

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Adhesives are used to bond HPL to various substrates including particleboard, medium density fiberboard and hardwood faced plywood.

WILSONART DECORATIVE EDGE

MANUFACTURER (OR GENERIC): Wilsonart

HPD URL: https://www.wilsonart.com/laminate-edge-options

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Eliminate the flat edges and brown seams traditionally associated with laminate surfaces with Wilsonart Decorative Edges. Available in a range of profiles offering modern look found on more expensive natural stone and engineered quartz.

Section 5: General Notes

Laminates are evaluated under the UL 2818 "GREENUARD Certification Program For Chemical Emissions for Building Materials,

Finishes and Furnishings". Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2- 2017 in the office environment; while commercial furniture and furnishings are tested in accordance with ANSI/BIFMA M7.1-2011(R2016) and determined to comply with ANSI/BIFMA X7.1-2011(R2016) and ANSI/BIFMA e3-2014e Credit 7.6.1, 7.6.2, and 7.6.3 in a private office environment.

MANUFACTURER INFORMATION

MANUFACTURER: Wilsonart ADDRESS: 2501 Wilsonart Drive P.O. Box 6110 Temple, TX 76503-6110 COUNTRY: USA WEBSITE: https://www.wilsonart.com CONTACT NAME: Randy Parcus TITLE: Technical Services PHONE: 800-433-3222 EMAIL: smartline@wilsonart.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

Laminart High Pressure Decorative Laminate

for compliance with the HPD standard noted.